

GARDEN REVIVAL
GARDEN CLASSIC
BOLLARD
UP & DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BULKHEAD
SOLAR
URBAN CLASSIC
URBAN REVIVAL
URBAN MODERN
POST
LAMPS

MAMETE

UP & DOWN



Luminaries suitable for wall or ground installation with directed light emission. Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Round or square shape available. Supplied with TÜV-CB certified, long-life and efficient **G9 LED lamp included**. Insulation class II, protection rating IP67.



MAMETE SQUARE
1A3.000



MAMETE ROUND
2A3.000

*Lampada idonea ad installazione a parete o al suolo con emissione della luce direzionata. Realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Disponibile con forma quadrata o circolare. Fornita con **inclusa lampadina a LED G9**, certificata TÜV-CB di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP67.*



2A3.000.Z1L

GROUND INSTALLATION



1A3.000.Z1L





MAMETE SQUARE



MAMETE ROUND

MAMETE - COMPONENTS

IP67



COVER made in shockproof resin material, UV rays stabilized, rust and corrosion free. Round or square shape available.

***COVER** in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Disponibile in versione squadrata o tondeggiante.*

BASE made in shockproof resin material, UV rays stabilized, rust and corrosion free. Suitable for wall or ground installation.


***BASE** in resina antiurto, stabilizzato ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per installazione a parete o al suolo.*

HOUSING made in shockproof resin material. Provided with G9 lampholder and watertight cable gland for a safe electrical devices connection.

***CASSA** realizzata in resina antiurto. Provvista di portalamпада G9 e pressacavo a tenuta stagna, per consentire una sicura connessione degli accessori elettrici.*

DIFFUSER made of shockproof resin material (PC) complete with silicone rubber gasket to ensure high protection against external agents. Frosted or coloured versions, to get a customized ambiance.

***DIFFUSORE** in resina antiurto (PC) completo di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni. Disponibile nella versione satinata o colorata, per ottenere un'ambientazione personalizzata.*



MAMETE

130



Dimensions and weight

Height: 134mm (round) - 130mm (square)
Width : 60 mm
Depth: 60 mm
Weight: 0,20 Kg

Cover colours:

Black White Grey

Diffuser PC:

Frosted

Blue Green Orange

G9 LED

100 - 240 V




Luminaires supplied as standard with TÜV-CB certified, long-life and efficient **G9 LED lamp included**. Quick and easy lamp replacement for a very simple maintenance after installation:

- **COST SAVING:** long-life and efficient LED light sources.
- **BUILT-IN DRIVER:** quick and easy lamp replacement.
- **GREAT FLEXIBILITY:** G9 standard lamp holder.
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments.
- **100-240V:** wide voltage range to protect the driver from power surges.

LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	*ADD. SUFFIX
	1,7 W	150 Lm	4000 K	.Z1L
			3000 K	.Z1R

LED LAMPS



Comply with: EU2019/2015
EU2019/2020
Technical details on page 636.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

MAMETE

UP&DOWN



MADE IN ITALY



MAMETE SQUARE



MAMETE ROUND

MAMETE SQUARE

1A3.000.Z1L


1,7W

1A3.000.Z1R


4000K

G9 LED LAMP INCLUDED

3000K



GROUND INSTALLATION



WALL INSTALLATION

Pcs 50
Kg 13,1
mc 0,057

MAMETE ROUND

2A3.000.Z1L


1,7W

2A3.000.Z1R


4000K

G9 LED LAMP INCLUDED

3000K



GROUND INSTALLATION



WALL INSTALLATION

Pcs 50
Kg 13,7
mc 0,057