

GARDEN REVIVAL  
GARDEN CLASSIC  
BOLLARD  
UP&DOWN  
DOWNLIGHT  
IN-GROUND  
BRICKLIGHT  
FLOODLIGHT  
BULKHEAD  
SOLAR  
URBAN CLASSIC  
URBAN REVIVAL  
URBAN MODERN  
POST  
LAMPS



# MARTA 90

UP & DOWN



Up&down bulkhead lamp made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Available with single opening for one side light emission or with double opening for up&down light emission. Supplied as standard with TÜV-CB certified, long-life, efficient and **Kelvin settable GU10 LED lamps**. Insulation class II, Protection rating IP55.

*Plafoniera up&down realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Disponibile con apertura singola ed emissione della luce in una sola direzione o con apertura doppia ed emissione della luce up&down. Fornito nella versione standard con inclusa lampadina a LED GU10 con Kelvin impostabile certificata TÜV-CB di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.*



2A4.000.L2K

**CCT SETTABLE**

2700 K 4000 K

SDCM <3






**MARTA 90 - COMPONENTS**

**IP55**




**BODY** made of shockproof resin material, UV-rays stabilized, rust and corrosion free. Available with double openings for up&down light emission or with single opening for one side light emission.

**CORPO** in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Disponibile con apertura doppia ed emissione della luce UP&DOWN o con apertura singola ed emissione della luce in una sola direzione.

**DIFFUSER** made of shockproof resin material (PC) complete with silicone rubber gasket to ensure high protection against external agents. Frosted or coloured versions, to get a customized ambiance.

**DIFFUSORE** in resina antiurto (PC) completo di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni. Disponibile nella versione satinata o colorata, per ottenere un'ambientazione personalizzata.



**BASE** made of shockproof resin material suitable for the electrical devices fixation and provided with single or double GU10 lampholder.

**BASE** in resina antiurto predisposta per il fissaggio degli accessori elettrici. Fornita completa di portalampe GU10 singolo o doppio.

**MARTA 90**

92



**Dimensions and weight**

Width: 92 mm  
Height: 170 mm  
Depth: 80 mm  
Weight: 0,5 Kg

**Moulded colours:**

Black White Grey

**Diffuser PC:**

Frosted Green Orange  
Blue

**LED LAMPS**



LVD EMC ERP

Comply with: EU2019/2015  
EU2019/2020  
Technical details on page 636.


**GU10 LED**

**100 - 240 V**



	LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	COLOUR TEMP.	*ADD. SUFFIX
<b>MARTA 90-1L</b>	GU10 LED	<b>3,5 W</b>	<b>366 lm</b>	4000 K 2700 K	.U1K
	GU10 LED	<b>6 W</b>	<b>615 lm</b>	4000 K 2700 K	.L1K
<b>MARTA 90-2L</b>	GU10 LED	2x 3,5W <b>7 W</b>	<b>732 lm</b>	4000 K 2700 K	.U2K
	GU10 LED	2x 6W <b>12 W</b>	<b>1230 lm</b>	4000 K 2700 K	.L2K

**CCT SETTABLE LED LAMP**



CCT switch settable in two different positions, to select the desired Kelvin temperature (2700K/4000K) and get a customized ambiance.

Up&down bulkhead supplied as standard with single or double TÜV-CB certified long-life, efficient and Kelvin settable GU10 LED lamps included. Quick and easy lamp replacement for a very simple maintenance after installation.

- **COST SAVING:** long-life and efficient LED light sources.
- **BUILT-IN DRIVER:** quick and easy lamp replacement.
- **GREAT FLEXIBILITY:** GU10 standard lamp holder.
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments.
- **SUITABLE FOR OUTDOOR USE:** built-in driver fully protected against heat and humidity by silicone paste.


**3.5W** = **35W**  
**366 Lm** = HALOGEN  
**SAVE 90%**

**6W** = **50W**  
**615 Lm** = HALOGEN  
**SAVE 88%**

\* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

# MARTA 90

UP & DOWN



MADE IN ITALY



MARTA 90-1L	
<b>3,5W</b>	1A4.000.U1K
<b>6W</b>	1A4.000.L1K

CCT SETTABLE GU10 LED LAMP INCLUDED  
2700K/4000K

Pcs 36  
Kg 17,3  
mc 0,12

MARTA 90-2L	
<b>2x3,5W</b>	2A4.000.U2K
<b>2x6W</b>	2A4.000.L2K

2 CCT SETTABLE GU10 LED LAMP INCLUDED  
2700K/4000K

Pcs 36  
Kg 21,9  
mc 0,12